SEP 0 6 2005

Orisinal specification
4/6/4

TITLE OF THE INVENTION:

"Apple Tree named 'PV 1027."

-7 Malus Sylvestri's

BACKGROUND-FIELD OF THE INVENTION

A new and distinct variety of apple tree originating as a whole tree mutation of the Malus sylvestris variety of 'Arends' (U.S. Plant Patent 2,800), hereinafter This New Variety was Found in a cultivated area where clones of a referred to as the 'PV 1027'. This new sport is unique from its parent because it ripens 7 to 9 days earlier and is significantly larger with a more reniform shape.

The skin of the new variety is also considerably shinier than the parent.

-7 Brief DESCRIPTION OF the Invention [Page]

DESCRIPTION OF PRIOR ART

The new variety, PV 1/027', differs from its parent in the following characteristics:

A. The fruit of the new variety matures 7 to 9 days ahead of the parent,

Delete

'Arends' (U.S. Plant Patent 2,800).

B. The fruit of the new variety has a larger more reniform shape with a much higher gloss to the skin that the parent, 'Arends' (U.S. Plant Patent 2,800).

SUMMARY OF THE INVENTION

This new and distinct variety of apple tree was discovered in 1997 at

Peace Valley Orchards in Rogers Ohio.

In 1998, buds were taken from the original tree and trees for further testing were asexually produced into 50 trees by Protree Nursery of Brentwood, CA.

This new cultivar has been reproduced on Malling 9-337 and Malling 9 NIC 29 rootstocks and remains true to the description herein contained. The new variety has not been grown on its own root.

BRIEF DESCRIPTION OF THE DRAWINGS

The accompanying photographs show typical specimens of the new variety as depicted in color as nearly true as is reasonably possible in color illustrations of this character. These specimens were obtained at Peace Valley Orchards,

്ര മൂന്ദ്രാവായ്യ്യ് - - FIG. 1-illustrates the fruits and foliage of the new variety at maturity.

Figure 2 ill the blossom of the New variety.

Fig. 3 ill, the entire tree of the Deep Variety

BOTANICAL DESCRIPTION OF THE PLANT
DETAILED BOTANICAL DESCRIPTION

A detailed description of the PV 1027 cultivar follows using the Royal

Horticultural Society of London Colour Chart for color identification except where general color terms are sufficient.

Delete Glassification: PLT/165.

Rogers, OH.

Parentage: A whole tree mutation of 'Arends' (U.S. Plant Patent 2,800).

Locality of the original discovery is Peace Valley Orchards, Rogers. Ohio, USA.

Age of the observed tree is syears, The observed tree is budded on manical

Location of observations is Van Buren County, Michigan, USA

This location is a usual cones site at an elevation of 600 feet above sea level.

The average date of 1964 frost is April 15 with an average First

Tree: Freeze of october 15. Average yearly rainfall is 35 inches.

Age: 5 years.

3,2 m 2 m

Size: 42 in height, 9 feet in width.

Vigor: Vigorous, yearly growth averages 1m.

Density: medium dense.

Form: Upright, spreading.

Production: Very productive, averaging 800 bushels per acre.

Growth type: Non-spur.

Bearing: Annual.

Trunk:

Size: 45cm in diameter at 100cm above ground level.

Surface: Smooth.

Bark Color: Grey Group 20 B.

Lenticels: Length 2cm, width. 5cm.

Lenticel Color: Grayed White 156D.

Lenticel Density: 2 per cm².

Branches:

Diameter 1 year: 9mm.

Diameter 2 year: 19mm.

Surface: Smooth.

Branch Color: Grayed-Purple 183A.

Form: Profuse branching.

Average Angle: 60°.

Buds: Alternate, tightly applied to branch.

Lenticels: Small, few, round to elongate.

Insert #a on additional Dage.

Leaves:

Size: Length 90 mm, width 50mm.

Form: Ovate.

Texture: Crisp, tough.

Leaf Thickness: .3mm.

Base: Rounded.

Apex: Acute to slightly mucronate.

Margin: Crenate.

Pubescence: None on adaxial surface, fine pubescence on abaxial

surface.

Leaf Color: Adaxial: Yellow-Green Group 147A,

Abaxial: Yellow-Green Group 245. 147C.

Venation: Pinnate, 8-10 veins mainly alternate.

Vein Color:

Adaxial: Yellow-Green 147C.

Stipules: 2, small, at base of petiole; length 8mm, width. 5mm. Abaxial: Yellow-Green 148C.

Stipule Color: Yellow-Green 147C.

Petiole: Slightly pubescent with single groove down entire length, very slightly indented.

Petiole Length 47mm, diameter 2mm at base, 2mm at junction with leaf.

Petiole Color: Adaxile color Grayed Green 176C, abaxial color Yellow-

Green 147C, pubescence color Grayed Green 176D.

Insert #3 on additional Page

Flowers:

Bloom Timing: Early season.

Blooming Period: April 13 to 20 in Lawrence, Van Buren County,

Michigan.

Pollination Requirements: Viable pollen from another early season

blooming apple variety such as Idared, Spartan or Manchurian crabapple.

No known pollen incompatibilities have been discovered.

Number of flowers per cluster: 3 to 5.

Fragrance: Very fragrant.

Pollen: Profuse.

Petals:∖**∦** in number.

Petal texture: Soft.

Insert # 4 on additional page.

Fruit:

Maturity when described: Firm ripe. Penetrometer readings average 19 to 150 pounds at harrest and 17 pounds one month later. Average brix at harvest: 12 to 150.

Date of picking: August 21, in Rogers, Ohio, generally harvested in two to

three pickings.

Size: Axial diameter 90mm, transverse diameter 55mm.

Average weight: 1880 to 2100g.

Form: Uniform, regular, reniform.

Cavity: Obtuse, deep, depth 12mm, breadth 20mm.

Basin: Symmetrical, abrupt at base, wide, depth, 12mm, width 20mm.

Calyx: Open, segments persistent, erect, outer and inner surfaces

pubescent.

Skin:

Thickness: Thin.

Texture: Very smooth, glossy with high cuticle wax, bloom present.

Tendency to crack: Some, especially at stem end in high rain conditions.

Lenticels: Inconspicuous, small, few in number, color White 155C.

Color: Solid blush 90% Red 59A, with no striping.

Ground color: Grayed Red 180A with Grayed Yellow 160A.

Flesh:

Aroma: Sweet, aromatic.

Color: Grayed-White 155 A.

Texture: Firm, tender, fine, crisp.

Eating quality: Best.

Core:

Bundle area: Medium to ovate, cordate, symmetrical at base.

Bundle: Inconspicuous, Yellow Green 145A, alternate above stamens.

Capillary area: Distinct, medium large size.

Calyx tube: round to oblong, open.

Depth of tube to shoulder: 20 mm.

Styles: Distinct, pubescent.

Stamens: One distinct whorl, medium.

Axillary cavity: Wanting.

Seed Cells: Walls thin, tough, length 10 mm, breadth 4 mm.

Longitudinal section: Broadly ovate.

Seeds:

Number perfect, 6 to 10

Number in one cell: 1 to 2

Length: 8 mm.

Breadth: 5 mm.

Form: Obtuse, tufted.

Color: Fan 4, Grayed-Orange, 175A.

Stem:

Length: 18mm.

Width: 3mm at base to 4mm at end.

Color: Grayed Purple 183B at base blending with Green 138C at

abscission layer.

Use: Fresh market, dessert.

Shipping quality: Fair, Not intended For long distance Shipping. Local Shipping quality is Fair to good.

Keeping quality: Excellent, 30 to 60 days in common storage.

Tree winter hardiness: Above average for an apple variety. Tree is hardy to -20° to -35° F.

Bud winter hardiness: -15° to -20° F, depending on the stage of development of the bud.

Drought tolerance: Average for an apple variety. Normal requirements average ½" of rain per week. Severe drought adversely affects fruit size and quality.

Disease resistance: Susceptible to fire blight (*Erwinia amylovora*) and other bacterial diseases. Moderately susceptible to apple scab (*Venturia inaequalis*),

powdery mildew (Podosphaera leucotricha), and other fungal diseases.

A SIN HECLAIM

I claim:

1. A new and distinct variety of apple tree Malus sylvestris, substantially as herein shown and described, characterized particularly as to novelty by the unique combination of a vigorous, upright, spreading, medium density, regular bearing tree, producing fruits that mature 7 to 9 days before the parent and present a larger fruit with a more reniform shape.

ABSTRACT OF THE DISCLOSURE

A new and distinct variety of apple tree, 'PV 1027,' originating as a-whole tree mutation of the Malus sylvestris variety of 'Arends' (U.S. Plant Patent 2,800). This new variety is unique from its parent because the fruit ripens 7 to 9 days before the parent and presents a larger, more reniform shapex with a skiniar finish.

INSERT # 1:

BRIEF SUMMARY OF THE INVENTION

This new and distinctive strain of apple tree produces a fruit with solid red color covering 90% of the fruit surface, compared to 40 to 50% of the parent, 'Arends' (United States Plant Patent Number 2,800). This new variety also ripens 7 to 9 days earlier than the parent and has a larger more reniform shape with a shinier finish. This new variety of apple tree was discovered in a cultivated area in 1997 in Rogers Ohio. In 1998, buds were taken from the original tree and propagated by chip budding into 50 trees. These trees were produced in Brentwood, CA. This new cultivar has been reproduced by chip budding on Malling 9-337 and Malling 9 NIC 29 rootstocks and remains true to the description herein contained. The new variety has not been grown on its own root.

INSERT # 2:.

Dormant Leaf buds:

Size: length 4 cm, width 2 cm.

Shape: bluntly lanceolate.

Color: Grayed Purple 187A.

INSERT #3:

Flower Buds at Popcorn Stage:

Pedicel: Length: 13 to 18mm, diameter 2mm.

Pedicel color: Green 146 C.

Bud: Length 9mm, width 7mm.

Bud color: Red 56 D blush with background of White 155 D.

INSERT #4:

Corolla diameter: 24 to 32mm.

Stamens: 20 to 25 in number, color White 155 D.

Anther color: Yellow 14 B.

Pollen: Profuse.

Ovary: Pubescent, color Grayed Green 193 A.

Pistil: Slightly lower than anthers in a majority of blossoms.

Sepals: 5 in number, length 4mm, width 2mm, pubescent, color Grayed

Green 193 A.

Petals: 5 in number, length 11mm, width 6mm, slightly overlapping.

Petal Shape: Ovate, base rounded to cuneate at junction with receptacle,

apex rounded, margin very slightly ruffled,

Petal color: Adaxial: White 155 D.

Abaxial: White 155 D.

Petal texture: Soft.